

插式阀块系列

Plug-in block series

V2068/V3068



产品说明:


Product description:

本阀块适用于所有插孔为 (T4-1)/(08-2) 的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with (T4-1)/(08-2) sockets.

型号说明:

Model description:

V2068-A-G-2F-A



表面处理 surface treatment
N:不处理 No disposal
G:镀锌处理 Galvanizing treatment
A:阳极处理 Anodic treatment

口径规格 Caliber specification
2F:1/4
3F:3/8

螺纹规格 Thread specification
P:PT锥管螺纹 PT tapered pipe thread
G:G直管螺纹 G straight pipe thread

材质 Texture of material
A:铝合金 Aluminium alloy (6061 T6)
S:钢材 Steel products (45#)

产品说明:


Product description:

本阀块适用于所有插孔为 (T5-1)/(10-2) 的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with (T5-1)/(10-2) sockets.

型号说明:

Model description:

V3068-A-G-3F-A



表面处理 surface treatment
N:不处理 No disposal
G:镀锌处理 Galvanizing treatment
A:阳极处理 Anodic treatment

口径规格 Caliber specification
3F:3/8
4F:1/2

螺纹规格 Thread specification
P:PT锥管螺纹 PT tapered pipe thread
G:G直管螺纹 G straight pipe thread

材质 Texture of material
A:铝合金 Aluminium alloy (6061 T6)
S:钢材 Steel products (45#)

插式阀块系列

Plug-in block series

V6068



产品说明:

Product description:

本阀块适用于所有插孔为 (T6-1)/(12-2) 的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with (T6-1)/(12-2) sockets.

型号说明:

Model description:



V6068-A-G-6F-A

表面处理 surface treatment
N:不处理 No disposal
G:镀锌处理 Galvanizing treatment
A:阳极处理 Anodic treatment



口径规格 Caliber specification
6F:3/4
00: 其他 Other

螺纹规格 Thread specification
P:PT锥管螺纹 PT tapered pipe thread
G:G直管螺纹 G straight pipe thread



材质 Texture of material
A:铝合金 Aluminium alloy (6061 T6)
S:钢材 Steel products (45#)



G3/4



T6-1 (12-2)



∅11±12
∅7完全贯穿

插式阀块系列

Plug-in block series

V8068



产品说明:

Product description:

本阀块适用于所有插孔为 (T7-1)/(16-2) 的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with (T7-1)/(16-2) sockets.

型号说明:

Model description:


V8068-A-G-8F-A

表面处理 surface treatment
N:不处理 No disposal
G:镀锌处理 Galvanizing treatment
A:阳极处理 Anodic treatment

口径规格 Caliber specification
8F:1"
00: 其他 Other





螺纹规格 Thread specification
P:PT锥管螺纹 PT tapered pipe thread
G:G直管螺纹 G straight pipe thread

材质 Texture of material
A:铝合金 Aluminium alloy (6061 T6)
S:钢材 Steel products (45#)




Ø11 ∇ 12
Ø7完全贯穿

25



T7-1 (16-2)

G1



插式阀块系列

Plug-in block series


V2067/V3067






产品说明:

Product description:

本阀块适用于所有插孔为 (T4-1)/(08-2) 的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with (T4-1)/(08-2) sockets.



□ $\varnothing 10 \nabla 10$
 $\varnothing 5.5$ 完全贯穿
T4-1 (08-2)



型号说明:

Model description:

V2067-A-A

表面处理 surface treatment

N:不处理 No disposal

G:镀锌处理 Galvanizing treatment

A:阳极处理 Anodic treatment

材质 Texture of material


A:铝合金 Aluminium alloy (6061 T6)

S:钢材 Steel products (45#)




产品说明:

Product description:

本阀块适用于所有插孔为 (T5-1)/(10-2) 的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with (T5-1)/(10-2) sockets.



T5-1 (10-2)



□ $\varnothing 11 \nabla 10$
 $\varnothing 7$ 完全贯穿

型号说明:

Model description:

V3067-A-A

表面处理 surface treatment

N:不处理 No disposal

G:镀锌处理 Galvanizing treatment

A:阳极处理 Anodic treatment

材质 Texture of material

A:铝合金 Aluminium alloy (6061 T6)

S:钢材 Steel products (45#)

插式阀块系列

Plug-in block series

V6067



产品说明:

Product description:

本阀块适用于所有插孔为 (T6-1)/(12-2) 的螺纹插装阀。

This valve block is suitable for all threaded cartridge valves with (T6-1)/(12-2) sockets.

型号说明:

Model description:

V6067-A-A

表面处理 surface treatment

N:不处理 No disposal


G:镀锌处理 Galvanizing treatment

A:阳极处理 Anodic treatment

材质 Texture of material

A:铝合金 Aluminium alloy (6061 T6)

S:钢材 Steel products (45#)



插式阀块系列

Plug-in block series

V8067



产品说明:

Product description:

本阀块适用于所有插孔为 (T7-1)/(16-2) 的螺纹插装阀。

This valve block is suitable for all threaded cartridge valves with (T7-1)/(16-2) sockets.

型号说明:

Model description:

V8067-A-A

表面处理 surface treatment

N:不处理 No disposal


G:镀锌处理 Galvanizing treatment

A:阳极处理 Anodic treatment

材质 Texture of material

A:铝合金 Aluminium alloy (6061 T6)

S:钢材 Steel products (45#)



插式阀块系列
Plug-in block series
V08-3



产品说明：
Product description:

本阀块适用于所有插孔为（T4-2）/（08-3）的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with (T4-2)/(08-3) sockets.

型号说明：
Model description:






V08-3-A-G-2F-A

表面处理 surface treatment
N:不处理 No disposal
G:镀锌处理 Galvanizing treatment
A:阳极处理 Anodic treatment

口径规格 Caliber specification
2F:1/4
3F:3/8
00: 其他 Other

螺纹规格 Thread specification
P:PT锥管螺纹 PT tapered pipe thread
G:G直管螺纹 G straight pipe thread

材质 Texture of material
A:铝合金 Aluminium alloy (6061 T6)
S:钢材 Steel products (45#)



插式阀块系列

Plug-in block series

V10-3



产品说明:

Product description:

本阀块适用于所有插孔为 (T5-2)/(10-3) 的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with (T5-2)/(10-3) sockets.

型号说明:

Model description:





V10-3-A-G-3F-A

表面处理 surface treatment
N:不处理 No disposal
G:镀锌处理 Galvanizing treatment
A:阳极处理 Anodic treatment

口径规格 Caliber specification
2F:1/4
3F:3/8
00: 其他 Other

螺纹规格 Thread specification
P:PT锥管螺纹 PT tapered pipe thread
G:G直管螺纹 G straight pipe thread

材质 Texture of material
A:铝合金 Aluminium alloy (6061 T6)
S:钢材 Steel products (45#)



插式阀块系列

Plug-in block series


V08-4



产品说明:

Product description:

本阀块适用于所有插孔为 (T4-3)/(08-4) 的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with (T4-3)/(08-4) sockets.



型号说明:

Model description:


V08-4-A-G-2F-A

表面处理 surface treatment
N:不处理 No disposal
G:镀锌处理 Galvanizing treatment
A:阳极处理 Anodic treatment

口径规格 Caliber specification
2F:1/4
2FC:1/4C型
3F:3/8
00: 其他 Other

螺纹规格 Thread specification
P:PT锥管螺纹 PT tapered pipe thread
G:G直管螺纹 G straight pipe thread

材质 Texture of material
A:铝合金 Aluminium alloy (6061 T6)
S:钢材 Steel products (45#)



插式阀块系列

Plug-in block series


V10-4



产品说明:

Product description:

本阀块适用于所有插孔为 (T5-3)/(10-4) 的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with (T5-3)/(10-4) sockets.



型号说明:

Model description:


V10-4-A-G-2F-A

表面处理 surface treatment
N:不处理 No disposal
G:镀锌处理 Galvanizing treatment
A:阳极处理 Anodic treatment

口径规格 Caliber specification
2F:1/4
2FC:1/4C型
3F:3/8
00: 其他 Other

螺纹规格 Thread specification
P:PT锥管螺纹 PT tapered pipe thread
G:G直管螺纹 G straight pipe thread

材质 Texture of material
A:铝合金 Aluminium alloy (6061 T6)
S:钢材 Steel products (45#)



插式阀块系列

Plug-in block series


LAAT/LAAU (T-162A)



产品说明:

Product description:

本阀块适用于所有插孔为T-162A的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with T-162A sockets.



型号说明:






Model description:

LAAT-S-G

表面处理 surface treatment
N:不处理 No disposal
G:镀锌处理 Galvanizing treatment
A:阳极处理 Anodic treatment

材质 Texture of material
A:铝合金 Aluminium alloy (6061 T6)
S:钢材 Steel products (45#)

口径规格 Caliber specification
T:G1/4
U:G3/8
V:G1/2(需定制Need customization)



插式阀块系列

Plug-in block series


LGAT/LGAU (T-13A)



产品说明:

Product description:

本阀块适用于所有插孔为T-13A的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with T-13A sockets.



型号说明:






Model description:

LGAT-S-G

表面处理 surface treatment
N:不处理 No disposal
G:镀锌处理 Galvanizing treatment
A:阳极处理 Anodic treatment

材质 Texture of material
A:铝合金 Aluminium alloy (6061 T6)
S:钢材 Steel products (45#)

口径规格 Caliber specification
T:G1/4
U:G3/8
V:G1/2(需定制Need customization)



插式阀块系列

Plug-in block series


LJCT/LJCU (T-163A)



产品说明:

Product description:

本阀块适用于所有插孔为T-163A的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with T-163A sockets.



型号说明:






Model description:

LJCT-S-G

表面处理 surface treatment
N:不处理 No disposal
G:镀锌处理 Galvanizing treatment
A:阳极处理 Anodic treatment

材质 Texture of material
A:铝合金 Aluminium alloy (6061 T6)
S:钢材 Steel products (45#)

口径规格 Caliber specification
T:G1/4
U:G3/8
V:G1/2(需定制Need customization)



插式阀块系列

Plug-in block series


LECT/LECU (T-11A)



产品说明:

Product description:

本阀块适用于所有插孔为T-11A的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with T-11A sockets.



型号说明:


Model description:

LECT-S-G

表面处理 surface treatment
N:不处理 No disposal
G:镀锌处理 Galvanizing treatment
A:阳极处理 Anodic treatment

材质 Texture of material
A:铝合金 Aluminium alloy (6061 T6)
S:钢材 Steel products (45#)

口径规格 Caliber specification
T:G1/4
U:G3/8
V:G1/2(需定制Need customization)



插式阀块系列

Plug-in block series

LBCU/LBCV (T-2A)




产品说明:

Product description:

本阀块适用于所有插孔为T-2A的螺纹插装阀。

This valve block is suitable for all threaded cartridge valves with T-2A sockets.



型号说明:

Model description:

LBCU-S-G

表面处理 surface treatment

N:不处理 No disposal

G:镀锌处理 Galvanizing treatment

A:阳极处理 Anodic treatment

材质 Texture of material

A:铝合金 Aluminium alloy (6061 T6)



S:钢材 Steel products (45#)

口径规格 Caliber specification




U:G3/8

V:G1/2

W:G3/4(需定制Need customization)



2- $\phi 11$



插式阀块系列

Plug-in block series


LHCW/LHCX (T-17A)



产品说明:

Product description:

本阀块适用于所有插孔为T-17A的螺纹插装阀。
This valve block is suitable for all threaded cartridge valves with T-17A sockets.



型号说明:


Model description:

LHXW-S-G

表面处理 surface treatment
N:不处理 No disposal
G:镀锌处理 Galvanizing treatment
A:阳极处理 Anodic treatment

材质 Texture of material
A:铝合金 Aluminium alloy (6061 T6)
S:钢材 Steel products (45#)

口径规格 Caliber specification
W:G3/4
X:G1"
Y:G1 1/4(需定制Need customization)



插式阀块系列

Plug-in block series

LYEV (T-11A)



产品说明:


Product description:

本阀块适用于所有插孔为T-11A的螺纹插装阀。

双负载, 对口导压。

This valve block is suitable for all threaded cartridge valves with T-11A sockets.

Double load, opposite pressure.



型号说明:

Model description:

LYEV-A-G

表面处理 surface treatment

N:不处理 No disposal

G:镀锌处理 Galvanizing treatment

A:阳极处理 Anodic treatment

材质 Texture of material

A:铝合金 Aluminium alloy (6061 T6)







S:钢材 Steel products (45#)

口径规格 Caliber specification

U:G3/8

V:G1/2

W:G3/4(需定制Need customization)



插式阀块系列

Plug-in block series

LXEV (T-11A)




产品说明:

Product description:

本阀块适用于所有插孔为T-11A的螺纹插装阀。

双负载, 对口导压, VC口直线排列。

Double load, opposite port conduction, VC port straight arrangement



型号说明:

Model description:

LXEV-A-G

表面处理 surface treatment

N:不处理 No disposal

G:镀锌处理 Galvanizing treatment

A:阳极处理 Anodic treatment

材质 Texture of material

A:铝合金 Aluminium alloy (6061 T6)




S:钢材 Steel products (45#)

口径规格 Caliber specification

U:G3/8

V:G1/2

W:G3/4(需定制Need customization)



插式阀块系列

Plug-in block series

LXGJ(T-11A)




产品说明:

Product description:

本阀块适用于所有插孔为T-11A的螺纹插装阀。

屋型阀体, 双负载, 对口导压, 附梭阀。

Roof-type valve body, double load, counterpart pressure, shuttle valve.



型号说明:

Model description:

LXGJ-A-G

表面处理 surface treatment

N:不处理 No disposal

G:镀锌处理 Galvanizing treatment

A:阳极处理 Anodic treatment

材质 Texture of material




A:铝合金 Aluminium alloy (6061 T6)

S:钢材 Steel products (45#)

口径规格 Caliber specification

I:SAE6

J:SAE8



插式阀块系列

Plug-in block series

R02-1



产品说明:





Product description:

此阀块为标准02阀座，附插式溢流阀，可以直接配合板式阀使用，体积小不占空间，反应敏捷等许多优点。

This valve block is a standard 02 valve seat, with plug-in relief valve, which can be directly used with plate valve, small size, does not occupy space, quick response and many other advantages.

油路动作:

Functional symbols:



型号说明:

Model description:

R02-1-A-P-3F-A

表面处理 surface treatment

N:不处理 No disposal

G:镀锌处理 Galvanizing treatment

A:阳极处理 Anodic treatment

口径规格 Caliber specification

3F:3/8

00: 其他 Other

螺纹规格 Thread specification

P:PT锥管螺纹 PT tapered pipe thread

G:G直管螺纹 G straight pipe thread

材质 Texture of material

A:铝合金 Aluminium alloy (6061 T6)

S:钢材 Steel products (45#)

